



ZERO KNOWS TRANSITAINERS™




THE ZERO MANUFACTURING, INC. TRANSITAINER™ line represents the ultimate in total packaging capability at a very affordable price. Transitainers™ provide a highly reliable, cost effective alternative to other types of shipping/storage and transit cases. These cases are also available through our Quick-Ship Program.

Details available at www.zerocases.com/quickship

The Transitainer incorporates the total package at an affordable price and has outstanding durability and performance. With easy storage and transit with trouble free stacking, the Transitainer is perfect for shipment and storage of such items as:

- Field portable, sensitive electronic instruments
- Military applications, monitoring equipment
- Seismic, pollution control instrumentation
- Airport, flight guidance systems
- Telecommunications equipment
- Field communications systems
- Field computer systems
- Test equipment




FEATURES

CASE FEATURES

- Made from rotationally molded polyethylene plastic
- Uniform wall thickness
- Compounded color impregnated directly into durable polyethylene plastic shells
- Nearly stress-free shells
- Integrally molded tongue and groove closure for a watertight seal
- Extra rugged corner construction
- Gasketed construction with integral tongue and groove closure interlocks top and bottom for environmental protection
- Recessed hardware for added protection
- Meets ATA 300 Category 1, and applicable portions of MIL-T-28800, MIL-C-4150 and MIL-STD-108 specifications
- Wide range of colors available using FED-STD-595 guidelines
- Spring loaded, rattle proof handles with 90° stops
- Cam action, positive locking latches
- Interlocking ribs, top and bottom allow for stacking of containers
- Resists most chemicals and solvents

BUILD YOUR OWN ZERO TRANSITAINER™

BUILD YOUR PART NUMBER



Contact ZERO for design and engineering assistance to meet specific requirements and custom colors. Call 1.800.500.9376

Lifting Rings: Verify the application does not exceed the load carrying capacity of the lifting rings or case.

Stacking: Verify weight and support.

Roller System: Not available for all sizes.

Other Accessories and Custom Options: Keyboard tray, chair kit, table/chair kit, and more. Additional lead time may be required for some options.

NOTES:

⦿ Watertight not available with Locking Hasps or Roller System.

⊕ Not available for Quick-Ship. Requires additional lead time.

HOW TO ORDER CASES:

Standard Cases:

1. Go to www.zerocases.com/contactSales.php to find your local distributor or reseller.
2. Call 800-959-5050 or email orders@zerocases.com to place and order directly with ZERO.

Customized Cases:

1. Go to www.zerocases.com/contactSales.php to find your local representative and request a quote or email your RFQ to quotes@zerocases.com.

Quick-Ship Cases:

1. Go to www.zerocases.com/quickship to see options for low-quantity orders with lower lead times.



Call 800-959-5050 and Request Quick-Ship Today!

TRANSITAINER TRANSIT & STORAGE CASES

QUESTIONS? 1.800.959.5050



INTERIOR DIMENSIONS					EXTERIOR DIMENSIONS					LATCH HANDLE		WEIGHT (lb/kg)	TRANSITAINER		NSN
WIDTH (inch/mm)	LENGTH (inch/mm)	HEIGHT (inch/mm)	H ₂ (inch/mm)	H ₁ (inch/mm)	WIDTH (inch/mm)	LENGTH (inch/mm)	HEIGHT (inch/mm)	QTY	QTY	BASE PART #	NOTE				
6.00/152	6.00/152	9.25/235	7.32/186	1.93/49	9.75/248	9.75/248	10.63/270	2	1	4.50/2.04	ZRC0606-0802	8145-01-582-5019			
7.70/196	7.70/196	11.38/289	9.45/240	1.93/49	11.75/298	11.75/298	12.75/324	4	1	6.00/2.72	ZRC0808-1002	8145-01-582-5025			
10.00/254	10.00/254	13.74/349	11.18/284	2.56/65	13.75/349	13.75/349	13.07/332	4	2	13.00/5.90	ZRC1010-1103	8145-01-582-5030			
10.00/254	10.00/254	17.74/451	15.20/386	2.56/65	13.75/349	13.75/349	19.38/492	4	2	14.50/6.58	ZRC1010-1503	8145-01-582-5037			
12.00/305	12.00/305	18.00/457	15.00/381	2.99/76	15.25/387	15.25/387	19.50/495	6	2	16.30/7.39	ZRC1212-1503	8145-01-582-5039			
14.88/378	12.13/308	7.68/195	4.76/121	2.91/74	16.88/429	14.12/359	9.44/240	6	2	8.00/3.63	ZRC1512-0503				
13.50/343	15.00/381	11.00/279	7.19/182	4.19/106	16.75/426	18.25/464	11.93/303	6	2	4.00/1.02	ZRC1513-0704	8145-01-582-5591			
16.63/422	13.25/337	26.37/670	22.36/568	4.02/102	20.38/518	17.00/432	28.00/711	6	2	19.00/8.62	ZRC1612-2204	8145-01-582-5043			
16.00/406	16.00/406	10.00/254	5.00/127	5.00/127	19.25/489	19.25/489	11.50/292	6	2	10.50/4.76	ZRC1616-0505				
16.00/406	16.00/406	23.00/584	17.99/457	5.00/127	19.25/489	19.25/489	24.50/622	6	2	24.00/10.89	ZRC1616-1805	8145-01-582-5047			
17.00/432	13.00/330	7.00/178	4.02/102	2.99/76	20.25/514	16.25/413	8.31/211	6	2	9.30/4.22	ZRC1713-0403	■ 8145-01-582-5059			
17.00/432	17.00/432	14.00/356	9.02/229	5.00/127	20.25/514	20.25/514	15.38/391	8	2	17.00/7.71	ZRC1717-0905	8145-01-582-5063			
17.00/432	17.00/432	18.00/457	9.02/229	9.02/229	20.25/514	20.25/514	19.38/492	8	2	24.50/11.11	ZRC1717-0909	8145-01-582-5068			
18.00/457	14.50/368	19.00/483	15.00/381	4.02/102	21.25/540	17.75/451	20.63/524	6	2	24.50/11.11	ZRC1814-1504	■ 8145-01-582-5075			
19.50/495	17.00/432	18.00/457	13.74/349	4.25/108	22.75/578	20.25/514	19.65/499	8	2	24.50/11.11	ZRC1916-1404	8145-01-582-5077			
20.00/508	13.00/330	12.00/305	9.02/229	2.99/76	23.25/591	16.25/413	13.50/343	8	2	19.30/8.75	ZRC2013-0903	8145-01-582-5094			
20.00/508	20.00/508	18.00/457	14.02/356	4.02/102	23.25/591	23.25/591	19.38/492	8	2	27.00/12.25	ZRC2020-1404	8145-01-582-5097			
20.00/508	20.00/508	20.00/508	14.02/356	5.98/152	23.25/591	23.25/591	21.38/543	8	2	30.50/13.83	ZRC2020-1406	8145-01-582-5103			
22.00/559	16.00/406	17.00/432	12.01/305	5.00/127	25.25/654	19.25/489	18.50/470	8	2	26.50/12.02	ZRC2216-1205	■ 8145-01-582-5109			
22.50/572	21.00/533	10.12/257	5.83/148	4.29/109	25.75/654	24.25/616	11.00/279	8	2	20.00/9.07	ZRC2221-0604				
22.50/572	21.00/533	12.06/306	7.76/197	4.29/109	25.75/654	24.25/616	12.94/329	8	2	24.05/11.11	ZRC2221-0804	8145-01-582-5113			
22.50/572	21.00/533	16.56/421	12.24/311	4.29/109	25.75/654	24.25/616	18.31/465	8	2	31.30/14.20	ZRC2221-1204	8145-01-582-5115			
22.50/572	21.00/533	17.56/446	12.24/311	5.32/135	25.75/654	24.25/616	19.31/490	8	2	31.30/14.20	ZRC2221-1205	■ 8145-01-582-5119			
22.75/578	10.75/273	18.12/460	13.54/344	4.57/116	26.00/660	14.00/356	19.88/505	8	2	21.00/9.53	ZRC2311-1304	8145-01-582-5140			
13.19/335	23.25/591	15.37/390	11.25/286	4.5/114	16.00/406	26.25/667	15.85/403	8	4	21.50/9.75	ZRC2313-1104	8145-01-582-5599			
24.00/610	23.00/584	14.00/356	6.69/170	7.32/186	28.00/711	27.00/686	15.63/397	12	2	33.00/14.97	ZRC2423-0505	8145-01-582-5143			
24.00/610	23.00/584	13.00/330	9.02/229	4.02/102	27.25/692	26.25/667	15.50/394	10	4	33.50/15.20	ZRC2423-0904	■ 8145-01-582-5146			
24.00/610	23.00/584	15.00/381	10.98/279	4.02/102	27.25/692	26.25/667	17.50/445	10	4	35.00/15.88	ZRC2423-1104	■ 8145-01-582-5150			
25.00/635	21.00/533	12.81/325	8.23/209	4.61/117	28.50/724	24.25/616	14.56/370	10	4	29.00/13.15	ZRC2521-0904	8145-01-582-5153			
25.90/658	22.70/577	17.85/453	12.83/326	5.00/127	30.63/778	27.44/697	23.00/584	12	2	30.00/13.61	ZRC2522-1305	▲■ 8145-01-582-5157			
25.00/635	22.00/559	25.00/635	12.83/508	5.00/127	28.25/718	25.25/641	26.75/679	12	2	44.00/19.96	ZRC2522-2005	▲ 8145-01-582-5162			
26.00/660	17.00/432	10.06/256	6.06/154	4.02/102	29.25/743	20.25/514	11.81/300	8	2	26.00/11.79	ZRC2617-0604	■ 8145-01-582-5165			
26.00/660	17.00/432	11.06/281	6.06/154	5.00/127	29.25/743	20.25/514	12.81/325	8	2	28.30/12.84	ZRC2617-0605	■ 8145-01-582-5172			
26.00/660	17.00/432	15.06/383	11.06/281	4.02/102	29.25/743	20.25/514	16.81/427	8	2	26.50/12.02	ZRC2617-1104	■ 8145-01-582-5604			
26.00/660	17.00/432	16.06/408	11.06/281	5.00/127	29.25/743	20.25/514	17.81/452	8	2	27.00/12.25	ZRC2617-1105	■ 8145-01-582-5613			
26.00/660	24.00/610	13.00/330	7.99/203	5.00/127	29.25/743	27.25/692	14.75/375	10	4	30.50/13.83	ZRC2624-0805				
26.00/660	24.00/610	23.00/584	17.99/457	5.00/127	29.25/743	27.25/692	24.75/629	10	4	33.50/15.20	ZRC2624-1805	8145-01-582-5620			
27.00/686	27.00/686	18.00/457	9.02/229	9.02/229	30.25/768	30.25/768	19.75/502	10	4	43.00/19.50	ZRC2727-0909				
27.00/686	27.00/686	27.00/686	17.99/457	9.02/229	30.25/768	30.25/768	28.75/730	10	4	51.00/23.13	ZRC2727-1809	8145-01-582-5639			
28.00/711	18.00/584	13.00/330	9.02/229	4.02/102	31.25/794	21.25/540	14.38/365	10	2	30.00/13.61	ZRC2818-0904	8145-01-582-5686			
29.00/737	14.00/356	14.00/356	9.02/229	5.00/127	32.25/819	17.25/438	15.41/391	10	2	30.50/13.83	ZRC2914-0905	8145-01-582-5643			
30.00/762	18.00/584	14.25/362	9.25/235	5.00/127	33.25/845	21.25/540	15.88/403	10	2	34.50/15.65	ZRC3018-0905	◆ 8145-01-582-5655			
30.00/762	18.00/584	19.00/483	14.02/356	5.00/127	33.25/845	21.25/540	20.63/524	10	2	37.80/17.15	ZRC3018-1405	8145-01-582-5661			
31.00/787	13.00/330	12.00/305	7.99/203	4.02/102	34.25/870	16.25/413	13.31/338	10	2	22.50/10.21	ZRC3113-0804	8145-01-582-5667			
29.50/749	33.75/857	10.31/262	6.10/155	4.21/107	33.60/851	37.75/959	14.87/378	10	2	43.00/19.50	ZRC3329-0604	8145-01-582-5671			
33.75/857	29.50/749	16.31/414	10.24/260	6.10/155	37.75/959	33.50/851	20.75/527	10	4	60.00/27.22	ZRC3329-0610	▲ 8145-01-582-5674			
33.75/857	18.75/476	19.65/499	14.65/372	5.00/127	37.00/940	22.00/559	21.00/533	10	4	39.50/17.92	ZRC3419-1405	8145-01-582-5675			
34.50/876	24.50/622	12.31/313	7.99/203	4.29/109	37.75/959	27.75/705	14.44/368	12	4	45.00/20.41	ZRC3424-0804	■ 8145-01-582-5913			
34.50/876	24.50/622	16.25/413	11.93/303	4.29/109	37.75/959	27.75/705	18.38/467	12	4	48.00/21.77	ZRC3424-1204	■ 8145-01-582-5680			
34.00/864	24.00/610	17.00/432	12.01/305	5.00/127	37.25/946	27.25/692	18.38/467	12	4	48.00/21.77	ZRC3424-1205	■ 8145-01-582-5915			
34.00/864	28.00/711	35.00/889	25.00/635	10.00/254	37.25/946	31.25/794	37.13/943	14	4	69.00/31.30	ZRC3428-2510	■× 8145-01-582-5682			
36.00/914	20.00/508	22.00/559	17.01/432	5.00/127	39.25/997	23.25/591	23.75/603	12	2	47.00/21.32	ZRC3620-1705	8145-01-582-6400			
37.00/940	29.00/737	21.80/554	17.44/443	4.37/111	41.00/1041	33.00/939	25.06/637	14	4	60.00/27.22	ZRC3729-1704	▲▼ 8145-01-582-6402			
37.00/940	29.00/737	32.74/832	17.44/443	15.32/389	41.00/1041	33.00/938	37.50/953	14	4	72.00/32.66	ZRC3729-1715	▲ 8145-01-582-6404			
40.13/1019	20.25/514	13.19/335	9.96/253	3.23/82	43.38/1102	25.00/635	18.25/464	14	4	42.00/19.05	ZRC4020-1003	▲ 8145-01-582-6405			
40.13/1019	20.25/514	19.07/484	15.87/403	3.23/82	43.38/1102	25.00/635	24.38/619	14	4	47.00/21.32	ZRC4020-1603	8145-01-582-6408			
40.00/1016	24.00/610	18.00/457	12.99/330	5.00/127	43.25/1099	27.25/692	20.25/514	12	4	54.00/24.49	ZRC4024-1305	8145-01-582-6409			
43.00/1092	15.00/381	15.00/381	11.50/292	3.50/89	46.25/1175	18.25/464	16.34/415	12	2	30.00/13.61	ZRC4315-1103	8145-01-582-6411			
44.75/1137	31.75/807	16.75/426	12.01/305	4.76/121	48.00/1219	35.00/889	18.62/473	16	4	67.00/30.39	ZRC4432-1205	8145-01-582-6413			
49.50/1258	39.50/1004	37.50/953	12.26/311	25.75/654	53.50/1359	43.50/1105	42.38/1077	18	4	113.00/51.36	ZRC5040-2612	▲ 8145-01-582-6416			
52.00/1321	48.00/1219	17.80/452	11.73/298	6.10/155	56.25/1429	52.75/1340	23.00/584	20	4	96.00/43.55	ZRC5248-1306	▲▼ 8145-01-582-6416			
54.00/1372	15.00/381	36.00/914	24.00/610	12.01/305	57.25/1454	18.25/464	67.63/956	12	6	55.00/25.00	ZRC5415-2412				
54.00/1372	24.00/610	29.29/739	23.00/584	6.06/154	57.75/1467	28.75/730	34.27/870	14	4	70.00/31.80	ZRC5424-2306	▲ 8145-01-582-6416			
78.88/2232	19.43/549	13.28/337	5.00/127	8.00/203	5.73/162	9.09/257	57.00/25.85	20	6	57.00/25.85	ZRC7819-0805				

■ Available with roller system, not available as a watertight container. ▲ Forkliftable. ▼ Not available with a hinged cover. ◆ MedChest Series offers Roller System and Watertight options; not available with Hinged or Reversed Cover.

× Telescoping handle not available; extra ZSP3-304 handle supplied as a replacement. All weights are approximate. Custom sizes and colors are available on special orders. Additional lead time may be required for some options.

ZERO KNOWS

SHIPPING & TRANSIT CONTAINERS



ZERO'S EXTENSIVE KNOWLEDGE AND EXPERIENCE in engineering transit and storage technology makes us the indisputable leader in rugged plastic and metal cases. Our Transitainer™ line represents the ultimate in total packaging capability at a very affordable price while our Modular Containers are the ultimate in durable, reusable shipping and storage solutions.

TRANSITAINERS: Available in over 60 standard sizes and with a variety of options to meet all of your requirements, ZERO rotomolded Transitainer cases include outstanding performance and protection.

Key Features & Benefits:

- Uniform wall thickness for durability
- Interlocking ribs, top and bottom, allow for stacking
- Rotomolded cases resist most chemicals and solvents
- Integrally molded tongue-and-groove closure
- Recessed hardware for added protection
- Meets applicable portions of MIL-T-28800, MIL-STD-4150 and MIL-STD-810



VAL-AN CASES: Val-An means "Value Analyzed," demonstrating a commitment from ZERO to provide the desirable features of the Val-An Series in efficient, cost-effective cases. Val-An Series cases come in many standard sizes and configurations. They can also be customized to meet an even greater number of needs.

Case Features:

- 52 width and length combinations, and many depths from which to choose
- Water-tight construction meets MIL-STD-108
- Made from seamless, deep drawn aluminum shells
- Choice of closure type, panel flange, and/or inner lid, and finish



MODULAR CONTAINERS: Custom engineered cases to meet your exacting needs, Modular Containers are made from light-weight aluminum and make exceptional reusable shipping and storage containers. Your first cost is your last cost when you choose these rugged shipping and storage containers.

Key Features & Benefits:

- High Strength-to-Weight Ratio
- Construction flexibility and reusable
- Maximum shock isolation and environmental protection possible
- Easy, fast, economical accessorizing with standard options
- Virtually endless sizes available—Build to specification
- Meets applicable provisions of MIL-STD-108, MIL-STD-810, and MIL-T-28800

ZERO MANUFACTURING, INC | 500 West 200 North, North Salt Lake, Utah 84054 USA

Toll Free US 800-500-ZERO (9376) | Direct 801-298-5900 | Fax 801-299-7389 | Email sales@zerocases.com | Web www.zerocases.com

ZERO CASES (UK) LTD | Unit 5, Alpha Park | Bevan Way, Dartmouth Rd, Smethwick, West Midlands B66 1BZ UK

Phone +44 (0) 121 558 2011 | Fax +44 (0) 121 565 2115 | Email europesales@zerocases.com | Web www.zerocases.com